

# The Gazette of India

## EXTRAORDINARY PART II—Section 3 PUBLISHED BY AUTHORITY

**No. 311] NEW DELHI, FRIDAY, OCTOBER 7, 1955**

### MINISTRY OF COMMERCE AND INDUSTRY

#### NOTIFICATIONS

*New Delhi, the 7th October, 1955*

**S.R.O. 2241.**—The following Notification issued by the Iron and Steel Controller under clause 8(1) of the Iron and Steel (Scrap Control) Order 1943, is published for general information.

#### NOTIFICATION

In exercise of the powers conferred by sub-clause (1) of clause 8 of the Iron and Steel (Scrap Control) Order 1943 and with the approval of the Central Government, the Iron and Steel Controller is pleased to notify the following amendments to the Ministry of Commerce and Industry, New Delhi Notification No. SC(A)-2(145)/55 dated 9th July 1955, S. R. O. 1486 published in Part II Section 3 of the Gazette of India Extra ordinary of 9th July 1955.

This amendment shall take effect from 7th October, 1955 and notwithstanding the rates at which an order has been booked or materials paid for, shall apply to all deliveries effected on or after that date.

The general and special condition of sale as mentioned in Scrap Price Schedule No. 1 1955 dated 1st May 1955 remain the same. For the existing Schedule of prices the following shall be substituted.

#### SCHEDULE

#### PART I-A. (Fresh unused Defective and Cuttings.)

Item No.	Description or Classification of materials	Maximum basic prices per ton at Calcutta, Bombay and Madras.		
		Col. I For sales by Controlled Sources other than those mentioned in Col. II	Col. II For sales by Scrap Merchants who have been declared Controlled Sources	Col. III For sales by all persons other than those mentioned in Cols. I and II
1	2	3	4	5
		Rs.	Rs.	Rs.
1.	Bars and Rods Mild Steel (Rounds and Squares below 3" and Flats upto and including 5" wide) —Defective or Rejected—Bars above 9' long and Rods above 8' long—Base .	460	485	505

1	2	3	4	5
		Rs.	Rs.	Rs.
2.	Fishplates—Defective or Rejected for heavy or light rails . . . . .	400	425	445
3.	Plates Defective or Rejected—full—size— $3/8"$ and up thick— <i>Base</i> . . . . .	514	539	559
4.	Plates—Chequered $1/4"$ and up Defective or Rejected—Full size— <i>Base</i> . . . . .	530	555	575
5.	Rails—Steel—Defective or Rejected above $12'$ and up long :—			
	(a) Light . . . . .	460	485	505
	(b) Heavy . . . . .	450	475	495
6.	Semis Defective or Rejected (Ingots, Blooms, Billets—over $4"$ , Slabs over $3"$ thick) . . . . .	315	340	360.
7.	Sheets—			
	(a) Black—Defective or Rejected and cut down over $24"$ width and not below $4'$ in length, $10/14G$ — <i>Base</i> . . . . .	475	500	520
	(b) Black—Cuttings—over $24"$ in width and between $2'$ to $4'$ in length— $10/14G$ with stickers— <i>Base</i> . . . . .	415	440	460
8.	Sheets—Galvanised Corrugated—Defective or Rejected and Spotted—Full size $24$ gauge— <i>Base</i> . . . . .	670	695	715
9.	Sleepers—Steel—Defective or Rejected :			
	(a) Metre Gauge . . . . .	475	500	520
	(b) Broad Gauge . . . . .	425	450	470
10.	Sleeper Bars—Defective or Rejected $9'$ and above . . . . .	360	385	405
11.	Structurals (including Bars, Rounds and Squares $3"$ and above and Flats above $5"$ wide) —Defective, Rejected and nonstandard over $9'$ long— <i>Base</i> . . . . .	475	500	520
12.	Tinplate waste full size all gauges . . . . .	800	830	850

## PART I-B (Fresh unused Industrial Scrap)

1.	Axles—Straight—Defective or Rejected . . . . .	310	335	355
2.	Bars and Rods—Mild Steel (Round and Squares below $3"$ and Flats upto and including $5"$ wide) :			
	(i) Cuttings— $2'$ to $9'$ Bars and $2'$ to $8'$ Rods — <i>Base</i> . . . . .	405	430	450
	(ii) Cuttings—under $2'$ to $1'$ long . . . . .	310	335	355
	(iii) Cuttings—under $1'$ long . . . . .	230	255	275
3.	Bars—High Carbon, Octagonal—			
	Defective or Rejected and Cuttings :			
	(i) $2'$ long and above . . . . .	460	485	505
	(ii) Below $2'$ long . . . . .	335	360	380
4.	Bars—Spring Steel :			
	(i) Defective or Rejected over $9'$ in length . . . . .	460	485	505
	(ii) Defective or Rejected and Cuttings $2'$ to $9'$ in length . . . . .	370	395	415
	(iii) Cuttings $1'$ to under $2'$ in length . . . . .	340	365	385
	(iv) Cuttings under $1'$ long . . . . .	250	275	295

N.B.—Items marked 'Base' will carry only Sectional Extras as in Extras List for Prime quality Steel

1	2	3	4	5
		Rs.	Rs.	Rs.
5.	Hoops or Thin Flats—Defective or Rejected and Cuttings— $3/16''$ to $1/16''$ in thickness and all widths :			
	(i) Over 10' long . . . . .	320	345	365
	(ii) Between 2' to 10' long . . . . .	310	335	355
	(iii) Below 2' long . . . . .	190	215	235
6.	Hoops Defective and Cuttings :			
	(i) $3/4'' \times 19/20G$ over 10' in length . . . . .	550	575	595
	(ii) $3/4'' \times 18/19G$ over 10' in length . . . . .	515	540	560
	(iii) $3/4''$ all gauges and below 10' in length . . . . .	250	275	295
7.	Plates, Cuttings :			
	(i) Ends and Strips, Straight sheared, below $5/16''$ thick and above 10' wide— <i>Base</i> . . . . .	350	375	395
	(ii) Ends and Strips below $5/16''$ and in widths upto 10'— <i>Base</i> . . . . .	325	350	370
8.	Plates Chequered below $5/16''$ — <i>Base</i>			
	(i) Shearing above 10' wide . . . . .	370	395	415
	(ii) Shearings upto 10' wide . . . . .	320	345	365
9.	Plates, Black—Rejected—full size as rolled—mixed gauges. . . . .	450	475	495
10.	Plates, Black—Cuttings :			
	(i) Thin Straight sheared mixed gauges 20/34, 4' wide and over. . . . .	320	345	365
	(ii) Thick hand-bundled mixed gauges 20/34, 2' wide and over . . . . .	220	245	265
11.	P.C.R.C.A. Wasters—mixed gauges full size (If these are sorted out by gauges, gauge extras as fixed for Tin Plate Co. will apply). . . . .	425	450	470
12.	P.C.R.C.A. Strips—Cuttings—mixed gauges (If these are sorted out by gauges, gauge extras as fixed for Tin Plate Co. will apply). . . . .			
	(i) Over 6' wide . . . . .	305	330	350
	(ii) 3' to 6' wide . . . . .	265	290	310
	(iii) Under 3' wide . . . . .	215	240	260
13.	Rails—Steel—Cuttings :			
	(i) Under 2' (Light or Heavy). . . . .	270	295	315
	(ii) 2' to 12' long.—Light. . . . .	320	345	365
14.	Roll Spoils—below $3/4''$ in thickness and all lengths . . . . .	320	345	365
15.	Sheets, Black—Cuttings, Fishtails and cleancut mixed $6''/24''$ wide :			
	(i) 13/18 gauge. . . . .	360	385	405
	(ii) 19/22 gauge. . . . .	370	395	415
	(iii) 24 gauge . . . . .	400	425	445
	(iv) 26 gauge . . . . .	410	435	455
	(v) 28 gauge . . . . .	420	445	465
	(vi) 30 gauge . . . . .	430	455	475
16.	Sheets—Black, Cuttings annealed cleancut pieces 6' to under 24' wide—mixed gauges. . . . .	335	360	380
17.	Sheets—Black, Cuttings 6' and up wide all Fish-tails 10 to 12 gauges or mixed gauges . . . . .	270	295	315
18.	Sheets—Black, cuttings—2' to under 6' wide— <i>Base</i> . . . . .	210	235	255
19.	Sheets—(a) Galvanised Plain cuttings of any or mixed gauges. . . . .	510	535	555
	(b) Galvanised Corrugated cuttings of any or mixed gauges. . . . .	460	485	505

N.B.—Items marked *Base* will carry only Sectional Extras as in Extras List for Prime Quality Steel.

I	2	3	4	5
		Rs.	Rs.	Rs.
20.	Structurals cuttings 2'9" long including those of bars (Rounds and squares 3" and above and Flats above 5" wide)— <i>Base</i> . (Except Joists channels and angles 5/16" thick and up) .	350	375	395
21.	Structurals Cuttings under 2' long including cuttings or Bars, (Rounds and Squares 3" and above and Flat above 5" wide). . . .	250	275	295
22.	Tinplate Strips—28 gauge and thicker in lots ; (If these are sorted out by gauges, gauge extra as fixed for Tin Plate Co. will apply). <i>Minimum Width Maximum Width.</i>			
	(a) over 6" . . . . .	560	585	605
	(b) over 3" . . . . .	530	555	575
	(c) over 2" . . . . .	500	525	545
	(d) over 1" . . . . .	470	495	515
	(e) over 1/2" . . . . .	440	465	485
	(f) over 1/2" . . . . .	410	435	455
23.	Tin Bars and Sheet Bars Crop-Ends 2" to 6" wide	300	325	345
24.	Wire, Defective and Short Lengths Specific gauges—2 to 3 SWG (Gauge extras as fixed for M/S. Indian Steel and Wire Products Ltd. will apply).			
	(a) Hard Bright . . . . .	550	575	595
	(b) Annealed . . . . .	600	625	645
	(c) Galvanised (Including Telegraph) . . . . .	690	715	735
	(d) Barbed . . . . .	800	825	845
25.	Wire, Scrap and Cuttings in mixed unsorted gauges:			
	(a) Hard bright . . . . .	500	525	545
	(b) Annealed . . . . .	550	575	595
	(c) Galvanised . . . . .	640	665	685
26.	Wire,—Twisted, Bent and rusty—mixed or un-mixed gauges :			
	(a) Unannealed . . . . .	350	375	395
	(b) Annealed . . . . .	360	385	405
	(c) Galvanised . . . . .	440	465	485
	(d) Barbed . . . . .	550	575	595
27.	Wire Nails —Defective, Rejected and/or Rusty of any gauge or size. . . . .	600	625	645
PART I-C (USED INDUSTRIAL SCRAP)				
1.	Axles, Straight—(Railway)—not fit for re-rolling. . . . .	240	265	285
2.	Bars and Rods Mild Steel (Rounds and Squares below 3" and Flats upto and including 5" wide) :			
	(i) 2' long and above <i>Base</i> . . . . .	330	355	375
	(ii) Cuttings below 2' and upto 1' long. . . . .	250	275	295
	(iii) Cuttings under 1' long . . . . .	170	195	215
3.	(a) Bars—Spring Steel :			
	(i) Over 9' in length . . . . .	360	385	405
	(ii) Cuttings 2'9" in length . . . . .	285	310	330
	(iii) Cuttings 1' to under 2' . . . . .	240	265	285
	(iv) Cuttings under 1' long . . . . .	190	215	235
	(b) Crow Bars—Rejected 2' & over . . . . .	245	270	290
4.	Dog Spikes . . . . .	195	220	240
5.	Draw'Bars (Railway Engine and Carriage) with or without hooks :			
	(a) 6' and above in length . . . . .	235	260	280
	(b) Below 6' in length . . . . .	220	245	265

N.B.—Items marked *Base*, will carry only Sectional Extras as in Extras List for Prime Quality Steel.

1	2	3	4	5
		Rs.	Rs.	Rs.
6. (A) Trenching Posts—Punched-complete or broken 2' long and over . . . . .		220	245	265
(B) Files—Steel . . . . .		545	570	590
(C) Files—Broken but usable as files . . . . .		345	370	390
7. Fish Plates for Heavy or Light Rails—usable. . . . .		290	315	335
8. Hoops or thin Flats . . . . .				
(i) 10 to 16 gauge over 10' long . . . . .		225	250	270
(ii) 3/4" × 20 gauge over 10' in length . . . . .		415	440	460
(iii) 3/4" × 18/19 gauge over 10' in length . . . . .		385	410	430
9. Hoops or thin Flats 1/8" and thinner cuttings below 10' in length—all widths . . . . .		200	225	245
10. Plates, Steel with or without holes—all sizes below 5/16" thick . . . . .		240	265	285
11. Plates—Boiler—Steel, with or without holes below 5/16" thickness—all lengths. . . . .		280	305	325
12. Rails : . . . . .				
(a) Above 27' long when sold as Transmission Poles—selected . . . . .		335	360	380
(b) Above 12' long—Light . . . . .		295	320	340
(c) Above 12' long—Heavy . . . . .		275	300	320
(d) All rails Light or Heavy 1' to 2' long . . . . .		185	210	230
(e) Light Rail Cuttings over 2' to 12' long. . . . .		250	275	295
13. (A) Sheets—Galvanised Corrugated or plain mixed or unmixed gauges : . . . . .				
(a) Used—but as good as new . . . . .		455	480	500
(b) Used—damaged but utilisable . . . . .		335	360	380
(c) Used—damaged and unutilisable . . . . .		215	240	260
(B) Sheets, Black—Plain or corrugated or Panel Sheets mixed or unmixed gauges—fit for use as sheet cuttings. . . . .		210	235	255
14. Sleepers, pressed—steel—cuttings or full length not fit for re-rolling . . . . .		170	195	215
15. Spring, Steel—Laminated, Volute, Helical and Spiral : . . . . .				
(i) Complete . . . . .		335	360	380
(ii) Broken pieces . . . . .		235	260	280
16. Structural cuttings above 9' long including those of Rounds and Squares 3" and above thick and Flats above 5" wide—Base . . . . .		285	310	330
17. (A) Structural cuttings under 2' long including those of Rounds and Squares 3" and above thick and Flat above 5" wide . . . . .		195	220	240
(B) Tubes :— . . . . .				
(i) Flue 8' and over . . . . .		250	275	295
(ii) Boiler 8' and over . . . . .		250	275	295
(iii) Element 8' and over . . . . .		250	275	295
(C) Vacuum Pipes 8' and over . . . . .		250	275	295
18. Wire—mixed of all sizes and gauges. . . . .		275	300	320

(1) Items marked 'Base' will carry section Extras as in Extras List for prime quality steel.

(2) In case the materials which have been classified under Part III item No. 1 are not broken and can be utilised as Industrial Scrap and are not covered by any item of Part I—C, these should be classified under Part I—C and charged at f.o.r. Port rates per ton as under :—

Col. I	Col. II	Col. III
Rs. 150/-	Rs. 175/-	Rs. 195/-

## Part II A (Fresh Re-rollable Scrap)

Item No.	Description or classification of materials	Maximum basic prices per ton at Calcutta, Bombay and Madras
1.	Plates, shearings (resulting from fabrication work or from Producers) both Plain and Chequered of thickness 5/16" and up	315
2.	Rails, Steel Heavy, cuttings 2' to 12' long	305
3.	Roll-spoils 3/4" and thicker	315
4.	Semis Defective Billets upto 4" and Slabs upto 3", Sheet Bars, Tin Bars and Sleeper Bars and Flat Bars and also Sheet Bar and Tin Bar Crop Ends above 6" wide and any other materials of thickness 5/16" and up	325
5.	Sleeper Bars Cuttings 2' to below 9'	325
6.	Structural cuttings viz., Joists, Channels and Angles 2' to 9' long and 5/16" thick and up	325
7.	All other fresh materials considered by Iron and Steel Controller as suitable or fit for Re-rolling	310

## Part II—B (used Re-rollable Scrap).

1.	Axles and Crank Axles Straight Railway- (Loco C. & W.) fit for Re-rolling	295
2.	Draw Bars—Steel (With or without Hooks) above 6' long	265
3.	Fish Plates for Heavy Rails, unserviceable	245
4.	Plates Shipbuilding, Railways, etc. with or without holes 5/16" and up thickness	255
5.	Rails—Steel Heavy 2' to 12' long (including points and Crossings and unserviceable rails of all lengths)	265
6.	Sleepers, Steel-Full lengths	255
7.	Structurals including Bars (Rounds and Squares 3" and above, flats above 5" wide) 2 to 9' long	265
8.	Tie Bars—Mild Steel punched 2' long and over	215
9.	Tyres Scrap (with or without Studholes)	265
10.	All other used materials from any source including such scrap recovered from old fabrication (Heavy Structural and Bars over 5/16" thickness inclusive) suitable or fit for re-rolling	250

N B. If any material described under Part IIA and B above is allotted to a Controlled Scrap Merchant for resale, the chargeable rate of the stockist will be Rs. 25/- per ton more than the rate fixed for the materials under this Part.

N.B. The following Railway materials will be included in item No. 10 of Part IIB above :

- (1) Fabricated materials of Rounds, Squares and Flats with and without attachments.
- (2) Fire Prickers 1-1/4" Sq. and up.
- (3) Truss Bars 1-1/4" Sq. and up.
- (4) Beams, fabricated, without attachment.
- (5) Channels, fabricated comprising of bogie, under-frames and wagon under-frames,
- (6) Channels, fabricated, Engine and Tender Frames,

*Part III—Melting Scrap.*

Item No.	Description or Classification of materials	Maximum basic prices per ton ex-site
		Rs.
1.	Mild Steel Commercial quality Melting Scrap (excluding Borings and Turnings and Special quality low Phosphorus Melting Scrap with Phosphorus content not exceeding .05, per cent), Cast Steel Scrap and perforated Plates 1/8" etc.	60
2.	Fresh Borings and Turnings	15
3.	Special quality low Phosphorus steel Melting Scrap :	
	(i) Phosphorus content not exceeding .04; per cent.	105
	(ii) Phosphorus content above .04, per cent but not exceeding .05 per cent.	90
4.	Cast Iron Melting Scrap Grade I	75
	Grade II	53
5.	Loco Types and Wheels—broken	90
6.	Spring Steel Melting Scrap (Including volute, Helical and spiral Springs under 1' long & broken unusable files)	90
Rate per ton f.o.r. Port.		
		Col. I Col. II
7.	Ingot Moulds Scrap broken	Rs. 115/-; Rs. 130/-
8.	Ingot Moulds Scrap unbroken	95/- 110/-

Note. 1. No Place Extra is chargeable for sale of Melting Scrap except Ingot Moulds Scrap Item No. 7 and 8.

2. The following Railway Scrap materials will be included in item No. 1 of Part III above.

- |  |                                     |
|--|-------------------------------------|
| (1) Axle Boxes C. & W.   | Cast Steel broken or un-reclaimable |
| (2) Axle Boxes (Loco)  | Do.                                 |
| (3) Axle Guards  | Do.                                 |
| (4) Buffer Casing  | Do.                                 |
| (5) Bogie Pivots   | Do.                                 |
| (6) Buckles  | Do.                                 |
| (7) Brake Levers   | Do.                                 |
| (8) Brake Shafts   | Do.                                 |
| (9) Brake Beams Flats  | Do.                                 |
| (10) Bhawres   | Do.                                 |
| (11) Beaters Scrap   | Do.                                 |
| (12) Buffers Spindle and Beads—cast-steel and Broken or unserviceable or Un-reclaimable. |                                     |
| (13) Boiler tubes  | Do.                                 |
| (14) Bolts and Nuts not re-usable and cut pieces thereof                                 |                                     |
| (15) Coupling Screws—  | Broken or unserviceable.            |
| (16) Coupler Components  | Do.                                 |
| (17) Drag Boxes  | Do.                                 |
| (18) Dog Spikes  | Do.                                 |
| (19) Drag Castings   | Do.                                 |
| (20) Draw Bar Hooks  | Do.                                 |
| (21) Duplicate Low and Carriage  | Do.                                 |
| (22) Duplicate Scrap C. & W.   | Do.                                 |
| (23) Draw Bar Face Plates  | Do.                                 |
| (24) Engine Frame Parts  | Do.                                 |
| (25) Engine Pins, sorts and sizes  | Do.                                 |
| (26) Element Tubes;  | Do.                                 |
| (27) Forged Steel  | Do.                                 |
| (28) Fencing Posts under 2' long   | Do.                                 |
| (29) Fish Plates broken pieces   | Do.                                 |

- |   |                        |
|---|------------------------|
| (30) Motion Girders   | Broken or unseviceable |
| (31) Flue Tubes and other sorts of vacuum pipes etc.<br>8 under 1 ft. | Do.                    |
| (32) Perforated Plates 1/8" and above                                 | Do.                    |
| (33) Plates M. S. scrap fabricated                                    | Do.                    |
| (34) Rivets, Washers  | Do.                    |
| (35) Rubbing Blocks   | Do.                    |
| (36) Rods of all sorts (connecting Rods Slide Rods & Piston Rods)     | Do.                    |
| (37) Sheets M. S. Mixed sizes fit for melting purposes only           | Do.                    |
| (38) Scrap Boiler Trussers  | Do.                    |
| (39) Scrap Smoke Boxes  | Do.                    |
| (40) Stretcher Casting  | Do.                    |
| (41) Trussers M.S.  | Do.                    |
| (42) Wheel Centres - C. & W. or Loco                                  | Do.                    |
| (43) Wagon Doors Scrap  | Do.                    |
| (44) Wrought Iron Rails   | Do.                    |
| (45) Wagon Pannels—mixed  | Do.                    |
| (46) Wrought Iron Girders   | Do.                    |
3. The following Railway Scrap materials will be included in item No. 3 of Part III above.
- |   |                          |
|---|--------------------------|
| (1) Draw Bars, Railway Engine and Carriage Wagons<br>with or without hooks below 6' long. | Broken or un-reclaimable |
| (2) Cranks and Crank Pins   | Do.                      |
| (3) Chains of sizes   | Do.                      |
| (4) Cross-heads of types  | Do.                      |
| (5) Tyres, Wheels and Axles-cut pieces (Loco and C. & W.)                                 | Do.                      |
| (6) Bearing Plates Mild steel.  | Do.                      |
4. The following Railway Scrap materials will be included in item No. 4 of Part III above:
- |   |                            |
|---|----------------------------|
| (1) Broken pieces of Piston and Piston Valve Rings.   |                            |
| (2) Bull Rings.   |                            |
| (3) Steam Chest Liners.   |                            |
| (4) Slide Blocks.   |                            |
| (5) Pulleys.  |                            |
| (6) Vacuum Chambers.  |                            |
| (7) C. I. Drums Defective   |                            |
| (8) Bearings Plates 5/8" and thinner (cast)   | Broken and un-reclaimable. |
| (9) Brake blocks (iron)   | Do.                        |
| (10) Pot Sleepers—broken  |                            |
| (11) Heavy Cylinders  | Broken or unreclaimable.   |
| (12) Headers  | Do.                        |
| (13) Drag Boxes   | Do.                        |
| (14) Frames   | Do.                        |
| (15) Fire Bars burnt  | Do.                        |
| (16) Wheels Chilled   | Broken or un-reclaimable   |
| (17) Heavy Cast Iron Scrap each weighing 4 cwt. or 5 mds and over, e.g. Burn Fire Bars and Chilled Wheels etc. (Gr. II) |                            |
| (18) Cast Iron Machinery parts—Clean and without attachments (Gr. I)  |                            |
- N.B. If any materials described under Part III is allotted to a Controlled Scrap Merchant for resale his chargeable rate will be Rs. 15/- per ton more than the rate fixed for the material under this part except in the case of Borings and Turnings (Item No. 2) for which his chargeable rate will be Rs. 20/- per ton including his remuneration.

C. R. NATESAN,

Iron and Steel Controller,

[No. SC (A)-2 (145)/55]

G. RAMANATHAN, Dy. Secy.